

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
}
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:26

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

        $this->_registerConfigListeners();

        // Load the plugins
        $this->getPlugins()->loadPlugins();

        $this->_isInitialized = true;

        // Fire an 'init' event
        if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
            $this->trigger(WebApplication::EVENT_INIT);
        }
    }
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

        if (!App::isEphemeral()) {
            $this->ensureResourcePathExists();
        }

        $this->_postInit();
        $this->authenticate();
        $this->debugBootstrap();
    }

    /**
     * @inheritdoc
    */
}

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *
     */
}

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */
}

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:28

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:30

nginx/1.17.3

Yii Framework/2.0.48.1





RAPID REFERRAL FORM

*To expedite the process, please reference Required Oncology Records Checklist to be included with referral.

If sending the C-CDA, this form does not need to be filled out. Please be sure to include reason for referral and indicate if records are available in Meditech.

Today's Date:

DEMOGRAPHICS PLEASE VERIFY BELOW INFORMATION IS INCLUDED IF ATTACHING DEMOGRAPHIC SHEET FROM YOUR FACILITY'S EMR

Name: Birthdate: M F

Address: City: State: Zip:

Preferred patient phone #: E-mail:

Contact person if not patient: Relationship: Phone #:

Language preferred: Interpreter needed: Y N Social Security#

INSURANCE

Insurance Co. Policy# Group #

REFERRAL

Reason for referral: Second opinion? Y N

Diagnosis: Date of diagnosis: Has patient received treatment? Y N

Referring Physician: Specialty

Address: City: State: Zip:

Phone# Fax# Direct messaging email:

Provider choice: First available Preferred Provider(s):

COMMUNICATION

You will receive faxed confirmation once the appointment is scheduled. Our office will directly contact your patient with scheduling information. Thank you for referring your patient to Goshen Center for Cancer Care.



Medical Oncology Required Records Checklist

Patient Name:

DOB:

ONCOLOGY GENERAL: PLEASE INCLUDE ALL RECORDS BELOW WITH REFERRAL	
<input type="checkbox"/>	Referring provider's most recent office note pertaining to diagnosis
<input type="checkbox"/>	Imaging from past year – Including CT, PET, MRI, Ultrasound, Nuclear Medicine, MUGA/Echo
<input type="checkbox"/>	Most recent pathology report as well as pathology report from initial diagnosis
<input type="checkbox"/>	Labs from past year
<input type="checkbox"/>	Chemotherapy and/or Radiation treatment summary

DISEASE SPECIFIC: PLEASE INCLUDE DISEASE SPECIFIC RESULTS IF AVAILABLE			
<input type="checkbox"/>	ACUTE LEUKEMIA	Flow Cytometry All Bone Marrow Pathology	Cytogenetics
<input type="checkbox"/>	BREAST CANCER	ER/PR DEXA scan Oncotype DX testing FISH/CISH if HER2 initial testing is indeterminate	HER2 BRCA testing Mammogram/US/Breast MRI
<input type="checkbox"/>	CHRONIC MYELOGENOUS LEUKEMIA	All Bone Marrow Pathology PCR for BCR/ABL transcript	FISH for BCR/ABL
<input type="checkbox"/>	COLORECTAL CANCER	K-ras Testing Preoperative CEA Level	Colonoscopy Report
<input type="checkbox"/>	GASTRIC CANCER	EGD	HER2 Testing
<input type="checkbox"/>	LUNG CANCER	EGFR/ALK Testing PDL Testing	Pulmonary Function Tests ROS-1 Testing
<input type="checkbox"/>	LYMPHOMA	Flow Cytometry	Cytogenetics
<input type="checkbox"/>	MELANOMA	BRAF Testing	NRAS Testing
<input type="checkbox"/>	MYELOMA	24 Hour Urine Serum Protein Electrophoresis Immunofixation	Serum Free Light Chains Beta 2 Microglobulin Bone Marrow Biopsy Pathology
<input type="checkbox"/>	NEUROENDOCRINE TUMORS	Chromogranin A Level	24 Hour Urine for 5HIAA
<input type="checkbox"/>	RENAL/GYNECOLOGICAL/BLADDER CANCERS	CA125 Tumor Marker for Ovarian Cancer	
<input type="checkbox"/>	PANCREATIC CANCER	ERCP (Endoscopic Retrograde Cholanigio-Pancreatography) Endoscopic Ultrasound	CA-19-9 Tumor Marker
<input type="checkbox"/>	PROSTATE CANCER	PSA x 2 + years	

Please fax requested information to Goshen Center for Cancer Care Intake Department at 574-364-2488. Please call 574-364-2973 with any questions.

If above documents are not included please indicate reason _____



The Retreat Women's Health Center Hours of Operation Monday-Friday 7 a.m. – 4:30 p.m.
 1135 Professional Dr. Goshen, Indiana 46526 To Schedule Please Call (574) 364-4611
 574-364-4600 Fax Orders to (574) 364-4630

Patient Name _____
 Date of Birth _____ Social Security # _____
 Address _____
 City _____ State _____ Zip _____
 Telephone # _____
 Primary Insurance _____
 Primary Policy # _____ Group # _____

Ordering Physician Signature _____
 Ordering Physician _____
 (Please print)
 Primary Care Physician _____
 Send Copy To _____
 Fax Results To _____
 Diagnosis #1 _____ ICD-10 Code _____
 Diagnosis #2 _____ ICD-10 Code _____
 Diagnosis #3 _____ ICD-10 Code _____


INFORMATION

- Women under 30 need an order for all mammograms.
- Women over 30 with a breast problem **must** have a diagnostic mammogram w/ breast ultrasound.
 - *The only exclusion to this is currently pregnant.*
- Men over 18 need bilateral diagnostic mammogram w/ ultrasound if indicated.

Breast Diagram (for physician use only)
 Physicians, please mark the location of any pain, palpable masses or other abnormalities on the diagram below.

Notes:

MAMMOGRAPHY	
	Screening Mammogram - Asymptomatic
	Mammogram Right Side – Diag. w/ US if indicated
	Mammogram Left Side – Diag. w/ US if indicated
	Mammogram Bilateral Side – Diag. w/ US if indicated



SPECIAL PROCEDURES	
	Ultrasound Guided Biopsy w/ clip placement Right / Left
	Stereotactic biopsy w/ clip placement Right / Left
	FNA / Cyst Aspiration Right / Left

ULTRASOUND	
(Exams will take 30-60 minutes to complete)	
	Breast Right _____ Left _____ Bilat _____ W/ diagnostic mammogram if indicated

Notice: Medicare will only pay for tests that meet the Medicare definition of "Medicare Necessity". Medicare may deny payment for a test that the physician believes is appropriate, such as a screening test. If a test is being ordered as a screen, be certain the patient has signed an Advanced Beneficiary Notice (ABN).

IMAGING – Is ABN Attached? Yes No

BONE DENSITOMETRY	
	Bone Density
	Bring current medication list with dosage. Withhold calcium for 24 hours.

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
```



```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:32

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98 $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
}  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:34

nginx/1.17.3

Yii Framework/2.0.48.1



Dr. Lily Kwatampora- Endocrinology

2012 S. Main St. Ste. C

Goshen, IN 46526

Phone (574) 537-1221 Fax (574) 537-1225

Referring Physician _____

Office Address _____

Office Phone # _____ Fax # _____

Patient Name _____ Date of Birth _____

Address _____

Patient contact _____

Insurance Type _____

1. Reason for Referral

- Manage and Treat
- Consult only
- Second Opinion

2. Diagnosis

<input type="checkbox"/>	Type 1 DM	<input type="checkbox"/>	Thyroid Cancer (see below)
<input type="checkbox"/>	Type 2 DM	<input type="checkbox"/>	Osteoporosis
<input type="checkbox"/>	Hyperthyroidism	<input type="checkbox"/>	Hypercalcemia
<input type="checkbox"/>	Hypothyroidism	<input type="checkbox"/>	Other (please specify)
<input type="checkbox"/>	Thyroid Nodules	<input type="checkbox"/>	

3. Clinic Notes/Labs/Imaging

- Last 2 clinic notes
- Last 3 months of labs (relevant to referral done by referring provider)
- Last imaging (relevant to referral done by referring provider)
- All Thyroid labs – include FNAs for dx: Thyroid Nodules
- Thyroid CA
 - Pathology results/reports
 - Operative reports
 - All scans/imaging (Thyroid US, Pretreatment scans I123, Whole body scan, CT neck/chest/PET scans (if completed))

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:36

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])
{
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);
    }
}

// Create the plugin
/** @var Plugin $plugin */
$plugin = Craft::createObject($config, [$handle, Craft::$app]);
$this->_setPluginMigrator($plugin);
return $plugin;
}

/**
 * Returns info about all of the plugins we can find, whether they're installed or not.
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins
if (!$row['enabled']) {
    continue;
}

try {
    $plugin = $this->createPlugin($handle, $row);
} catch (InvalidPluginException) {
    $plugin = null;
}

if ($plugin !== null) {
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();

// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craft\web\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craft\web\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:38

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:39

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:41

nginx/1.17.3

Yii Framework/2.0.48.1



New Patient Referral Form

- OFFICE CONSULT**
 DIRECT ACCESS FIBROSCAN*
 DIRECT ACCESS EGD
 DIRECT ACCESS COLONOSCOPY

In order to process a referral, **fill out the form completely** and please **supply all the requested records**. Referrals that do not have all of the completed information will be delayed in processing until all records are received.

*FIBBROSCAN referrals: include CBC, CMP or Hepatic Function Panel in the last 3 months, if available.

Please fax records to (574) 537-9384.

Patient Name: _____ DOB: _____ AGE: _____

Reason for referral (with ICD-10 codes): _____

Allergies: _____ Latex Allergies? YES or NO

Interpreter needed? YES or NO Primary Language: _____ Date of Referral: _____

Referring Provider: _____ Office Number: _____

Office Fax: _____ Form completed by: _____

DEMOGRAPHICS (contact information, social security number and release of information forms)

INSURANCE INFORMATION (front and back card copies)

RECENT HEIGHT, WEIGHT AND CO-MORBIDITIES (required for screening colonoscopies)

MEDICATION LIST (with over-the-counter and herbal remedies)

LAST TWO OFFICE NOTES (from referring/primary physician)

PAST COLONOSCOPY REPORTS WITH PATHOLOGY

PAST EGD REPORTS WITH PATHOLOGY (include dilation reports, BRAVO pH or Impedance testing)

GI RELATED IMAGING (CT scans, X-Rays, MRI, Ultrasounds, etc. in the past year)

PRIOR GASTROINTESTINAL SURGERY (include health system and surgeon)

GI RELATED TESTING (gastric emptying studies, anorectal or esophageal manometry, cookie swallows, esophogram, capsule endoscopy, etc.)

GI RELATED LABS: (CBC, CMP, PT/INR Liver profile, Hepatitis, Stool, IBD, etc. within the past year; Prometheus labs for IBD patients)

GI RELATED EMERGENCY ROOM REPORTS (abdominal pain, nausea/vomiting, diarrhea, swallowing difficulties, hematochezia, etc. within the past six months)

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
}
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('`__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

        $this->_registerConfigListeners();

        // Load the plugins
        $this->getPlugins()->loadPlugins();

        $this->_isInitialized = true;

        // Fire an 'init' event
        if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
            $this->trigger(WebApplication::EVENT_INIT);
        }
    }
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

        if (!App::isEphemeral()) {
            $this->ensureResourcePathExists();
        }

        $this->_postInit();
        $this->authenticate();
        $this->debugBootstrap();
    }

    /**
     * @inheritdoc
    */
}

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *
     */
}

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */
}

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:43

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])
{
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
        throw new InvalidConfigException('`__class` and `class` cannot both be specified.');
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);
    }
}

// Create the plugin
/** @var Plugin $plugin */
$plugin = Craft::createObject($config, [$handle, Craft::$app]);
$this->_setPluginMigrator($plugin);
return $plugin;
}

/**
 * Returns info about all of the plugins we can find, whether they're installed or not.
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins
if (!$row['enabled']) {
    continue;
}

try {
    $plugin = $this->createPlugin($handle, $row);
} catch (InvalidPluginException) {
    $plugin = null;
}

if ($plugin !== null) {
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();

// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```



```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:45

nginx/1.17.3

Yii Framework/2.0.48.1





1855 S. Main St. Suite A
Goshen IN, 46526

Cardiology- New Patient Referral Form

Dr Farid Jalinous, Interventional Cardiology
Dr Sreenivas Kamath, Interventional Cardiology
Dr. Blair MacPhail, Interventional Cardiology
Dr. Abrar Sayeed, General Cardiology
Dr. Djavid Hadian, Electrophysiology

Please complete this form and fax it, along with last office visit notes, Recent Medication list, recent labs, recent EKG/ECG, Echo's, Stress Tests, Heart Catheterization, Arteriograms, Carotid Ultrasound, along with a **copy of the patient's insurance card and demographics.**

If an echo/heart catheterization is done outside of Goshen Health, please make a copy on a CD. You can either mail a copy or send a copy with the patient.

Patients will not be scheduled until we receive this completed form along with medical records.

For urgent request please call our office to alert us after records have been faxed.

Name: _____ Date of Birth: _____

Phone: _____

Address: _____

SS#: _____

Insurance: (Primary) _____ (Secondary) _____

Primary Language: _____

Interpreter needed Yes: _____ No: _____

REFERRING PROVIDER: _____

Reason for referral (with ICD---10 codes):

RETURN FAX TO: (574) 533-7145 Attn. Sheila Pace Phone (574) 364-3921



Form with fields for Patient Name, Date of Birth, Social Security, Address, City, State, Zip, Telephone #, Primary Insurance, Primary Policy #, Group #, Secondary Insurance, Secondary Policy #, Group #, Ordering Physician Signature, Ordering Physician, Primary Care Physician, Send Copy To, Fax Results To, Diagnosis #1-4, and ICD-10 Code.

Cardiac Rehabilitation Referral Form

Date of referral: _____

Date of qualifying event: _____

Cardiac Rehab

For required safety and admission qualifications, I authorize the following:

- Rehab staff to develop Individualized Treatment Plan/Exercise Rx for Medical Director to review and approve on admission to the program and every 30 days until discharge from program
6 Minute Walk Test pre and post program
Cardiopulmonary Stress Test pre-program (as indicated by HF stratification)
12 Lead EKG within 3 months of the qualifying event

Intensive Cardiac Rehab (Ornish Lifestyle Medicine)

For required safety and admission qualifications, I authorize the Cardiac Rehab requirements listed above, in addition to:

- Labs pre program (if no draw in the past 3 months) and post program including lipids, HgbA1c and hsCRP
Diagnosis #1 ICD-10 Code
Diagnosis #2 ICD-10 Code

I hereby certify that the above patient is medically able to participate in Cardiac Rehab.

PLEASE FAX COMPLETED FORM TO
574-364-2531



**1855 S. Main St. Suite A
Goshen IN, 46526
New Patient Referral Form**

**Vascular Surgery:
Dr. Nathaniel Dew MD and Thomas Etter, MD**

**Vascular & Interventional Radiology:
Dr. Justin Lightburn MD and Dr. Charles Bower MD**

Please complete this form and fax it, along with last office visit notes, lab testing, medication list, **imaging, ultrasound (reports and outside films)** along with a **copy of the patient's insurance card and demographics.**

If imaging is done outside of Goshen Health, please make a copy on a CD or send through PACS. You can either mail a copy attention Sheila Pace or send a copy with the patient.

Patients will not be scheduled until we receive this completed form.

Name: _____ Date of Birth: _____

Phone: _____

Address:

SS#: _____

Insurance: (Primary) _____ (Secondary) _____

Primary Language: _____

Interpreter needed Yes: _____ No: _____

REFERRING PROVIDER: _____

Reason for referral (with ICD—10 codes):

**RETURN FAX TO: (574) 533-7145 ATTENTION: Sheila Pace
Sheila Pace/Heart & Vascular Center Referral Specialist-574-364-3921**

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:47

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('`__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:49

nginx/1.17.3

Yii Framework/2.0.48.1



New Patient Referral Form
NeuroCare Center 2832 Elkhart Rd, Goshen IN, 46526

Service Request: Consult EMG/NCV EEG

To ensure prompt scheduling, please include the following items with the referral form and fax to (574) 534-0435.

- ✓ Copy of patient's insurance card and demographic information.
- ✓ Office notes or records supporting the need for the requested service.
- ✓ Diagnostic imaging reports, if applicable.
- ✓ Lab reports, if applicable.
- ✓ Previous neurologist notes, if available.

URGENT REQUESTS, please call the office at (574) 537-0219 to speak with a provider.

Patient Name: _____ Date of Birth: _____

Phone: _____

Primary Language: _____ Interpreter Need? Yes: _____ No: _____

Reason for Referral _____

Referring Provider: _____

Office Contact: _____

Office Phone: _____ Office Fax: _____

Thank you for the referral. We are committed to providing compassionate, comprehensive, quality care to all patients we serve.

RETURN FAX TO: (574) 534-0435

OFFICE PHONE: (574) 537-0219

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
}
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98 $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
}  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```



```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:51

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
}
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])
{
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);
    }
}

// Create the plugin
/** @var Plugin $plugin */
$plugin = Craft::createObject($config, [$handle, Craft::$app]);
$this->_setPluginMigrator($plugin);
return $plugin;
}

/**
 * Returns info about all of the plugins we can find, whether they're installed or not.
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins
if (!$row['enabled']) {
    continue;
}

try {
    $plugin = $this->createPlugin($handle, $row);
} catch (InvalidPluginException) {
    $plugin = null;
}

if ($plugin !== null) {
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();

// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:53

nginx/1.17.3

Yii Framework/2.0.48.1





Patient Name _____	Ordering Physician Signature _____
Date of Birth _____ Social Security # _____	Ordering Physician (Print) _____
Address _____	Primary Care Physician _____
City _____ State _____ Zip _____	Send Copy to _____
Telephone # _____	Fax Results to _____
Primary Insurance _____	Diagnosis #1 _____ ICD-10 Code _____
Primary Policy # _____ Group # _____	Diagnosis #2 _____ ICD-10 Code _____
Secondary Insurance _____	Diagnosis #3 _____ ICD-10 Code _____
Secondary Policy # _____ Group # _____	Diagnosis #4 _____ ICD-10 Code _____

Request for Opinion

Consult Request to: _____

A request for opinion and consult for the above-named patient is being sent to Goshen Orthopedics for the following reasons:

The physician requesting this opinion understands that the consulting physician may initiate treatment or perform medically necessary diagnostics for this patient. The consulting physician will send the requesting physician an opinion and plan of care.

****Please sign and return by fax to 574-534-3622****

This portion to be completed by Goshen Orthopedics

Appointment Date: _____

Confirmation fax sent to requesting physician: Today's date _____

Attending Physician: _____
(Please print)

1824 Dorchester Ct., Suite A, Goshen, IN 46526
Ph. (574) 534-2548 | Fax (574) 534-3622

*K. Carlson, DO C. Owens, MD
N. DeFauw, DO K. Houseman, DPM
E. Brown, NP J. Lain, NP L. Neff, NP*

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('`__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```



```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craft\web\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craft\web\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:55

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
115 if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
    Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
    $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
    if(!empty($template)) {
        try {
            echo Craft::$app->view->renderTemplate($template);
            IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
        } catch (\Throwable $th) {
            IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
        Craft::$app->end();
    } else {
        IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
        throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
    }
} else {
    IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
69 if(Craft::$app->getRequest()->getIsCpRequest()) {
    $this->restrict->restrictControlPanel();
}

if(Craft::$app->getRequest()->getIsSiteRequest()) {
    $this->restrict->restrictFrontEnd();
}

// Redirect to plugin settings after we're installed
Event::on(
    Plugins::class,
    Plugins::EVENT_AFTER_INSTALL_PLUGIN,
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
122 $this->controllerNamespace = $namespace . '\\console\\controllers';
} else {
    $this->controllerNamespace = $namespace . '\\controllers';
}
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
```

```
*/
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])
{
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);
    }
}

// Create the plugin
/** @var Plugin $plugin */
$plugin = Craft::createObject($config, [$handle, Craft::$app]);
$this->_setPluginMigrator($plugin);
return $plugin;
}

/**
 * Returns info about all of the plugins we can find, whether they're installed or not.
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins
if (!$row['enabled']) {
    continue;
}

try {
    $plugin = $this->createPlugin($handle, $row);
} catch (InvalidPluginException) {
    $plugin = null;
}

if ($plugin !== null) {
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();

// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:57

nginx/1.17.3

Yii Framework/2.0.48.1





Goshen Physicians

SLEEP & ALLERGY MEDICINE

REFERRAL FORM

Sultan Niazi, MD, Deborah Risa, NP-C, Katherine O'Toole, NP-C

2417 S Berkshire Drive

Goshen, IN 46526

Phone: (574)534-9911

Fax: (574) 534-6915

NAME: _____ SEX: _____

ADDRESS: _____

CITY: _____ STATE: _____ ZIP: _____

PHONE: _____ CELL: _____

DATE OF BIRTH: _____

REFERRING PROVIDER: _____

PHONE: _____ FAX: _____

INSURANCE: _____

REASON FOR CONSULT: _____

-
- SLEEP CONSULT- evaluate and treat
 - SLEEP STUDY
 - ALLERGY CONSULT
 - ALLERGY TESTING

In addition to this form please send the following:

- Demographic sheet
- Office notes
- Insurance card(s)
- Any sleep studies (if patient has had prior studies)

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```



```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('`__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98 $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
}  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft/services/Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft/services/Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craft\web\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craft\web\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:13:59

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
}
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:01

nginx/1.17.3

Yii Framework/2.0.48.1





Urology – New Patient Referral Form
Dr. Jeffrey Bolduan, MD
Kristin Abbs, NP

Please complete this form and fax it, along with all **pertinent medical records** (progress notes, imaging, PSA, labs, operative reports, pathology) along with a **copy of the patient's insurance card and demographics**.

Patients will not be scheduled until we receive this completed form and medical records.

Name: _____ Date of Birth: _____

Phone: _____

Address: _____

SS#: _____

Insurance: (Primary) _____ (Secondary) _____

Primary Language: _____

Interpreter needed Yes: _____ No: _____

Latex Allergy Yes: _____ No: _____

REFERRING PROVIDER: _____

Reason for referral (with ICD---10 codes):

Current Medications (including OTC):

Allergies:

Form completed by: _____ Phone: _____ Date: _____

RETURN FAX TO: (574) 534-5722

PHONE: (574) 533-8420

Office: 1615 Winsted Drive, Suite 4

Goshen, IN 46526

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:03

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,
        );
    }
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
 */
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```



```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:05

nginx/1.17.3

Yii Framework/2.0.48.1





Attention:

From:

Fax number: 574-537-1034

Today's Date:

Total pages,
including cover:

Phone number:

Please complete this form and fax. Goshen Physicians Center for Weight Reduction will contact the patient to schedule an initial consultative appointment. This ensures patient understanding and commitment to the lifestyle changes needed to be successful in the Goshen Physicians Center For Weight Reduction programs. Please fill out completely for your patient to receive the best service.

PATIENT INFORMATION:

Patient Name: _____ DOB: _____
 Address: _____ Email: _____
 City: _____ State: _____ Zip: _____
 Home #: _____ Cell #: _____
 Primary Insurance: _____ Secondary Insurance: _____
 ID#: _____ Group #: _____ Provider Services Phone #: _____

Reason for Referral: _____

PATIENT HEALTH HISTORY:

Height: _____ Weight: _____ BMI: _____

Medical History/Co-morbidities (please check all that apply):

- Acid Reflux (GERD) Arthritis Diabetes – Type 1 Diabetes – Type 2 High Cholesterol Hypertension
- Obstructive Sleep Apnea

Other (please describe any other medically relevant conditions): _____

PROVIDER INFORMATION:

Referring provider: _____ Form completed by: _____

Referring provider fax #: _____

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
115 if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
    Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
    $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
    if(!empty($template)) {
        try {
            echo Craft::$app->view->renderTemplate($template);
            IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
        } catch (\Throwable $th) {
            IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
        Craft::$app->end();
    } else {
        IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
        throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
    }
} else {
    IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
69 if(Craft::$app->getRequest()->getIsCpRequest()) {
    $this->restrict->restrictControlPanel();
}

if(Craft::$app->getRequest()->getIsSiteRequest()) {
    $this->restrict->restrictFrontEnd();
}

// Redirect to plugin settings after we're installed
Event::on(
    Plugins::class,
    Plugins::EVENT_AFTER_INSTALL_PLUGIN,
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
122 $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not. */
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:07

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```

```

        */
        public function getHandle(): string
    }

6.    craft\base\Plugin::__construct()

7.    in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8.    in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9.    in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10.   in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

68    public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException('__class` and `class` cannot both be specified.');
```

```

        }

        return parent::createObject($type, $params);
    }

/**
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)
 * and/or an alias (`@aliasName`), and returns the referenced value.
 *
 */

11.   in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

98    $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);
    }
    }

    // Create the plugin
    /** @var Plugin $plugin */
    $plugin = Craft::createObject($config, [$handle, Craft::$app]);
    $this->_setPluginMigrator($plugin);
    return $plugin;
}

/**
 * Returns info about all of the plugins we can find, whether they're installed or not.
 */

12.   in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft/services/Plugins::createPlugin() at line 228

22    // Skip disabled plugins
    if (!$row['enabled']) {
        continue;
    }

    try {
        $plugin = $this->createPlugin($handle, $row);
    } catch (InvalidPluginException) {
        $plugin = null;
    }

    if ($plugin !== null) {
        $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);
    }

13.   in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft/services/Plugins::loadPlugins() at line 1642

168    $this->_registerFieldLayoutListener();

    // Register all the listeners for config items

```



```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:09

nginx/1.17.3

Yii Framework/2.0.48.1





Consultation / Referral Request Form

Date: _____ Incoming Request Outgoing Request

Referring Dr.: _____

Person Calling: _____

Contact Phone #: _____ Fax: _____

Patient Information:

Name: _____
First Middle Last

DOB: _____ SS# _____ Language _____

Address: _____

Phone #: _____ Alternate #: _____

Insurance: _____

Consult Only

Consult and Treat

Transfer of care

Reason for referral:

Requested Provider _____ Appt Date/Time _____

HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
115 if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
    Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
    $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
    if(!empty($template)) {
        try {
            echo Craft::$app->view->renderTemplate($template);
            IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
        } catch (\Throwable $th) {
            IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
        Craft::$app->end();
    } else {
        IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
        throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
    }
} else {
    IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
69 if(Craft::$app->getRequest()->getIsCpRequest()) {
    $this->restrict->restrictControlPanel();
}

if(Craft::$app->getRequest()->getIsSiteRequest()) {
    $this->restrict->restrictFrontEnd();
}

// Redirect to plugin settings after we're installed
Event::on(
    Plugins::class,
    Plugins::EVENT_AFTER_INSTALL_PLUGIN,
```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
122 $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc
```

```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craftweb\Application::_postInit() at line 109

```

100     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craftweb\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

60     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

250     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:11

nginx/1.17.3

Yii Framework/2.0.48.1



HTTP 403 – Forbidden – yii\web\HttpException



Access Denied

1. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/services/RestrictService.php at line 115

```
108         if(IpRestrictor::$plugin->getSettings()->getRestrictionMethodFrontEnd() == SettingsModel::METHOD_TEMPLATE) {
            Craft::$app->view->setTemplateMode(View::TEMPLATE_MODE_SITE);
            $template = IpRestrictor::$plugin->getSettings()->getTemplateFrontEnd();
            if(!empty($template)) {
                try {
                    echo Craft::$app->view->renderTemplate($template);
                    IpRestrictor::$plugin->log('No IP match for control panel, rendering template '.$template);
                } catch (\Throwable $th) {
                    IpRestrictor::$plugin->log('No IP match for control panel but error rendering template '.$template.', throwing e
                    throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
                }
                Craft::$app->end();
            } else {
                IpRestrictor::$plugin->log('No IP match for front-end but no template found, throwing exception');
                throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
            }
        } else {
            IpRestrictor::$plugin->log('No IP match for front-end and no restriction method found, throwing exception');
            throw new HttpException(403, Craft::t('ip-restrictor', 'accessDenied'));
        }
    }
}
```

2. in /home/forge/gos0723-01-23.reusser.design/vendor/jrddnx/craft-ip-restrictor/src/IpRestrictor.php – jrddnx\iprestrictor\services\RestrictService::restrictFrontEnd() at line 69

```
68         if(Craft::$app->getRequest()->getIsCpRequest()) {
            $this->restrict->restrictControlPanel();
        }

        if(Craft::$app->getRequest()->getIsSiteRequest()) {
            $this->restrict->restrictFrontEnd();
        }

        // Redirect to plugin settings after we're installed
        Event::on(
            Plugins::class,
            Plugins::EVENT_AFTER_INSTALL_PLUGIN,

```

3. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – jrddnx\iprestrictor\IpRestrictor::init() at line 109

4. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Module.php – yii\base\BaseObject::__construct() at line 161

5. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/Plugin.php – yii\base\Module::__construct() at line 122

```
120         $this->controllerNamespace = $namespace . '\\console\\controllers';
    } else {
        $this->controllerNamespace = $namespace . '\\controllers';
    }
}

parent::__construct($id, $parent, $config);
}

/**
 * @inheritdoc

```



```
*/  
public function getHandle(): string
```

6. craft\base\Plugin::__construct()

7. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

8. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

9. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

10. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```
68 public static function createObject($type, array $params = [])  
{  
    if (is_array($type) && isset($type['__class']) && isset($type['class'])) {  
        throw new InvalidConfigException('__class` and `class` cannot both be specified.');    }  
  
    return parent::createObject($type, $params);  
}  
  
/**  
 * Checks if a string references an environment variable (`$VARIABLE_NAME`)  
 * and/or an alias (`@aliasName`), and returns the referenced value.  
 */
```

11. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – Craft::createObject() at line 943

```
98     $config = ArrayHelper::merge($config, $this->pluginConfigs[$handle]);  
    }  
}  
  
// Create the plugin  
/** @var Plugin $plugin */  
$plugin = Craft::createObject($config, [$handle, Craft::$app]);  
$this->_setPluginMigrator($plugin);  
return $plugin;  
}  
  
/**  
 * Returns info about all of the plugins we can find, whether they're installed or not.*/
```

12. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/services/Plugins.php – craft\services\Plugins::createPlugin() at line 228

```
22 // Skip disabled plugins  
if (!$row['enabled']) {  
    continue;  
}  
  
try {  
    $plugin = $this->createPlugin($handle, $row);  
} catch (InvalidPluginException) {  
    $plugin = null;  
}  
  
if ($plugin !== null) {  
    $hasVersionChanged = $this->hasPluginVersionNumberChanged($plugin);  
}
```

13. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/base/ApplicationTrait.php – craft\services\Plugins::loadPlugins() at line 1642

```
168 $this->_registerFieldLayoutListener();  
  
// Register all the listeners for config items
```

```

$this->_registerConfigListeners();

// Load the plugins
$this->getPlugins()->loadPlugins();

$this->_isInitialized = true;

// Fire an 'init' event
if ($this->hasEventHandlers(WebApplication::EVENT_INIT)) {
    $this->trigger(WebApplication::EVENT_INIT);
}

```

14. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/web/Application.php – craft\web\Application::_postInit() at line 109

```

109     parent::init();

    if (!App::isEphemeral()) {
        $this->ensureResourcePathExists();
    }

    $this->_postInit();
    $this->authenticate();
    $this->debugBootstrap();
}

/**
 * @inheritdoc

```

15. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/BaseObject.php – craft\web\Application::init() at line 109

16. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/base/Application.php – yii\base\BaseObject::__construct() at line 204

17. yii\base\Application::__construct()

18. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – ReflectionClass::newInstanceArgs() at line 419

19. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/di/Container.php – yii\di\Container::build() at line 170

20. in /home/forge/gos0723-01-23.reusser.design/vendor/yiisoft/yii2/BaseYii.php – yii\di\Container::get() at line 365

21. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/src/Craft.php – yii\BaseYii::createObject() at line 59

```

68     public static function createObject($type, array $params = [])
    {
        if (is_array($type) && isset($type['__class']) && isset($type['class'])) {
            throw new InvalidConfigException("`__class` and `class` cannot both be specified.");
        }

        return parent::createObject($type, $params);
    }

    /**
     * Checks if a string references an environment variable (`$VARIABLE_NAME`)
     * and/or an alias (`@aliasName`), and returns the referenced value.
     *

```

22. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/bootstrap.php – Craft::createObject() at line 250

```

258     if (function_exists('craft_modify_app_config')) {
        craft_modify_app_config($config, $appType);
    }

    // Initialize the application
    /** @var \craft\web\Application|\craft\console\Application $app */

```

```
$app = Craft::createObject($config);

// If there was a max_input_vars error, kill the request before we start processing it with incomplete data
if ($lastError && strpos($lastError['message'], 'max_input_vars') !== false) {
    throw new ErrorException($lastError['message']);
}
```

23. in /home/forge/gos0723-01-23.reusser.design/vendor/craftcms/cms/bootstrap/web.php – require('/home/forge/gos0723-01-23.reusse...') at line 40

```
30 // Load Craft
// -----

$appType = 'web';

return require __DIR__ . '/bootstrap.php';
```

24. in /home/forge/gos0723-01-23.reusser.design/web/index.php – require('/home/forge/gos0723-01-23.reusse...') at line 14

```
10 // Tell Craft to get its license key from a `CRAFT_LICENSE_KEY` environment variable
define('CRAFT_LICENSE_KEY', craft\helpers\App::env('CRAFT_LICENSE_KEY'));

// Load and run Craft
/** @var craft\web\Application $app */
$app = require CRAFT_VENDOR_PATH . '/craftcms/cms/bootstrap/web.php';
$app->run();
```

2024-02-21, 17:14:13

nginx/1.17.3

Yii Framework/2.0.48.1





Goshen Wound Center

2006 S Main St Suite B
Goshen, Indiana 46526
(574) 364-4560

Hours of Operation Monday - Friday 8 am - 5 pm
To Schedule Please Call (574) 364-4560
Fax Order To (574) 364-4561

Appointment Date and Time: _____

Patient Name _____
 Date of Birth _____ Social Security # _____
 Address _____
 City _____ State _____ Zip _____
 Telephone # _____
 Primary Insurance _____
 Primary Policy # _____ Group # _____
 Secondary Insurance _____
 Secondary Policy # _____ Group # _____

Ordering Physician Signature _____
 Ordering Physician _____
 Primary Care Physician _____
 Send Copy To _____
 Fax Results To _____
 Diagnosis #1 _____ ICD-10 Code _____
 Diagnosis #2 _____ ICD-10 Code _____
 Diagnosis #3 _____ ICD-10 Code _____
 Diagnosis #4 _____ ICD-10 Code _____

FAX REFERRAL FORM

Today's date: _____

- Does the patient have an open wound? Yes No
- Is the patient an inpatient in a Skilled Nursing Facility? Yes No
- If yes, is the patient under a Part A Medicare stay? Yes No

Wound #1

- Right Leg
- Left Leg
- Right Foot
- Left Foot
- Coccyx / Sacrum
- Other (specify): _____

Wound #2

- Right Leg
- Left Leg
- Right Foot
- Left Foot
- Coccyx / Sacrum

Please send a copy of patient's History and Physical, a recent Progress Note, most recent Labs, Vascular Studies, X-ray/imaging, current problems and Medication List, a current Face Sheet, and Insurance Card when faxing referral. Thank you.

FOR OFFICE USE ONLY

Appointment Date: _____

Appointment Time: _____

Confirmation Call Made: _____